Parasite Immunology 1989, **11**, 719–723

Author index to Volume 11

AGNEW A.M., MURARE H.M. & DOENHOFF M.J. Specific cross-protection between *Schistosoma bovis* and *S. haematobium* induced by highly irradiated infections in mice **341**

AGNEW A.M., MURARE H.M., LUCAS S.B. & DOENHOFF M.J. *Schistosoma bovis* as an immunological analogue of *S. haematobium* **329**

ANDERSON R.M. *see* HASWELL-ELKINS M.R.

ANDREASSEN J. *see* ITO A.

ARNON R. *see* MENDLOVIC F.

BAYNE C.J. *see* FRYER S.E.

BAZ A. *see* CAROL H.

BECKERS P.J.A. *see* VAN AMERONGEN A.

BEFUS D. *see* RAMASWAMY K.

BERZINS K. *see* MATTEI D.

BLACK S.J., MURRAY M., SHAPIRO S.Z., KAMINSKY R., BOROWY N.K., MUSANGA R. & OTIENO-OMONDI F. Analysis of *Propionibacterium acnes*-induced non-specific immunity to *Trypanosoma brucei* in mice **371**

BLACKIE W. *see* HAIG D.M.

BONNEFOY S. *see* MATTEI D.

BOROWY N.K. *see* BLACK S.J.

BRADLEY J.E. *see* HELM R.

BRANDON M.R. *see* MEEUSEN E.

BRODERSON J.R. *see* MILLET P.

BROWN B.G. *see* MILLET P.

BROWN C.G.D. *see* INNES E.A.

BROWN D. *see* HAIG D.M.

BROWN K.N. *see* JARRA W.

BROWN W.C., SUGIMOTO C., CONRAD P.A. & GRAB D.J. Differential response of bovine T-cell lines to membrane and soluble antigens of *Theileria parva* schizont-infected cells **567**

BRYANT C. *see* SMITH N.C.

BURNS R.G. *see* HELM R.

BUTTERWORTH A. *see* COTTRELL B.

CAPRON A. *see* KWEIDER M.

CAROL H., HERNANDEZ A., BAZ A. & NIETO A. Lack of interspecies barriers in anti-Id stimulated antibody production against *Echinococcus granulosus* antigens **183**

CASTELLANOS P.L. *see* CASTES M.

CASTES M., MOROS Z., MARTINEZ A., TRUJILLO D., CASTELLANOS P.L., RONDON A.J. & CONVIT J. Cell-mediated immunity in localized cutaneous leishmaniasis patients before and after treatment with immunotherapy or chemotherapy **211**

COCHRANE A.H. *see* MILLET P.

COLLINS W.E. *see* CASTES M.

COLLINS W.E. *see* MILLET P.

CONRAD P.A. *see* BROWN W.C.

CONVIT J. *see* CASTES M.

COTTRELL B., PYE C. & BUTTERWORTH A. Cytotoxic effects *in vitro* of human monocytes and macrophages on schistosomula of *Schistosoma mansoni* **91**

COTTRELL B.J. *see* JONES K.R.

CROFTS S. *see* HELM R.

CRUZ A. *see* DUNAN S.

CURFS J. *see* SCHETTERS T.P.M.

DELGADO V.S. *see* FLISSER A.

DOENHOFF M.J. *see* AGNEW A.M.

DOUGHTY B.L. *see* GOES A.M.

DUNAN S., FROMMEL D., MONJOUR L., OGUNKOLADE B.W., CRUZ A., QUILICI M. & THE PHOCEAN VETERINARY STUDY GROUP ON VISCERAL LEISHMANIASIS. Vaccination trial against canine visceral leishmaniasis **397**

EISEN H. *see* RUSSO M.
ELING W.M.C. *see* SCHETTERS T.P.M.
ELKINS D.B. *see* HASWELL-ELKINS M.R.
ELSE K. & WAKELIN D. Genetic variation in the humoral immune responses of mice to the nematode *Trichuris muris* **77**

FALANGA P.B. & PEREIRA DA SILVA L. Acute virulent infection with *Plasmodium chabaudi* does not impair the generation of a protective immune response **603**
FLISSER A., DELGADO V.S. & MCLAREN D.J. *Schistosoma mansoni*: enhanced efficacy of Praziquantel treatment in immune mice **319**
FRIES H.C.W., LAMERS M.B.A.C., SMITS M.A., PONNUDURAI T. & MEUWISSEN J.H.E.T. Characterization of epitopes on the 25 kD protein of the macrogametes/zygotes of *Plasmodium falciparum* **31**
FROMMEL D. *see* DUNAN S.
FRYER S.E. & BAYNE C.J. Opsonization of yeast by the plasma of *Biomphalaria glabrata* (Gastropoda): a strain-specific, time-dependent process **269**

GALE J. *see* SAUL A.
GANGULY N.K. *see* JAYSHREE R.S.
GASSER R.B., LIGHTOWLERS M.W. & RICKARD M.D. Identification of protein components of *Echinococcus granulosus* protoscolex antigens for specific serodiagnosis of *E. granulosus* infection in dogs **279**
GAZZINELLI G. *see* GOES A.M.
GEYSEN H.M. *see* SAUL A.
GHADIRIAN E. *see* STEVENSON M.M.
GOES A.M., ROCHA R.S., GAZZINELLI G. & DOUGHTY B.L. Production and characterization of human monoclonal antibodies against *Schistosoma mansoni* **695**
GORDON J.F. *see* KUSEL J.R.
GORRELL M.D. *see* MEEUSEN E.
GRAB D.J. *see* BROWN W.C.
GREELEY E.H. *see* LIU J.J.
GREENWOOD B.M. *see* RILEY E.M.
GREGORY W.F. *see* KWAN-LIM G.E.
GUILLOTTE M. *see* MATTEI D.

HACKETT F. *see* OMER ALI P.
HACKETT F. *see* SMITHERS S.R.
HAGAN P. *see* OMER ALI P.
HAIG D.M., WINDON R., BLACKIE W., BROWN D. & SMITH W.D. Parasite-specific T cell responses of sheep following live infection with the gastric nematode *Haemonchus contortus* **463**
HAMILTON A.J. *see* HELM R.
HARRISON L.J.S., JOSHUA G.W.P., WRIGHT S.H. & PARKHOUSE R.M.E. Specific detection of circulating surface/secreted glycoproteins of viable cysticerci in *Taenia saginata* cysticercosis **351**
HASWELL-ELKINS M.R., KENNEDY M.W., MAIZELS R.M., ELKINS D.B. & ANDERSON R.M. The antibody recognition profiles of humans naturally infected with *Ascaris lumbricoides* **615**
HELM R., SELKIRK M.E., BRADLEY J.E., BURNS R.G., HAMILTON A.J., CROFTS S. & MAIZELS R.M. Localization and immunogenicity of tubulin in the filarial nematodes *Brugia malayi* and *B. pahangi* **479**
HERMSEN C. *see* SCHETTERS T.P.M.
HERNANDEZ A. *see* CAROL H.
HESKETH P. *see* ROSE M.E.
HO M. & WEBSTER H.K. Point of view. Immunology of human malaria. A cellular perspective **105**
HONTEBEYRIE-JOSKOWICZ M. *see* RUSSO M.

INNES E.A., MILLAR P., BROWN C.G.D. & SPOONER R.L. The development and specificity of cytotoxic cells in cattle immunized with autologous or allogeneic *Theileria annulata*-infected lymphoblastoid cell lines **57**
INNES E.A., OUHELLI H., OLIVER R.A., SIMPSON S.P., BROWN C.G.D. & SPOONER R.L. The effect of MHC compatibility between parasite-infected cell line and recipient in immunization against tropical theileriosis **47**
ITO A., ITOH M., ANDREASSEN J. & ONITAKE K. Stage-specific antigens of *Hymenolepis microstoma* recognized in BALB/c mice **453**
ITOH M. *see* ITO A.

JARRA W. & BROWN K.N. Protective immunity to malaria: studies with cloned lines of rodent malaria in CBA/Ca mice. IV. The specificity of mechanisms resulting in crisis and resolution of the primary acute phase parasitaemia of *Plasmodium chabaudi chabaudi* and *P. yoelii yoelii* **1**

JAYSHREE R.S., GANGULY N.K., SETHI A.K. & MAHAJAN R.C. Changes in the superoxide anion generating capacity and respiratory burst enzymes of peripheral blood monocytes of monkeys during acute *Plasmodium knowlesi* infection **503**

JONES G. *see* SAUL A.

JONES K.R., COTTRELL B.J., TARGETT G.A.T. & PLAYFAIR J.H.L. Killing of *Plasmodium falciparum* by human monocyte-derived macrophages **585**

JOSHUA G.W.P. *see* HARRISON L.J.S.

JOYSEY H.S. *see* ROSE M.E.

KAMBOJ K.K. *see* MILLET P.

KAMINSKY R. *see* BLACK S.J.

KENNEDY M.W. *see* HASWELL-ELKINS M.R.

KRETSCHMER R.R. *see* LÓPEZ-OSUNA M.

KUSEL J.R. & GORDON J.F. Point of view. Biophysical studies of the schistosome surface and their relevance to its properties under immune and drug attack **431**

KUSNIERZ J.P. *see* KWEIDER M.

KWAN-LIM G.E., GREGORY W.F., SELKIRK M.E., PARTONO F. & MAIZELS R.M. Secreted antigens of filarial nematodes: a survey and characterization of *in vitro* excreted/secreted products of adult *Brugia malayi* **629**

KWEIDER M., LEMESRE J.L., SANTORO F., KUSNIERZ J.P., SADIGURSKY M. & CAPRON A. Development of metacyclic *Leishmania* promastigotes is associated with the increasing expression of GP65, the major surface antigen **197**

KWIATKOWSKI D. *see* RILEY E.M.

LAMERS M.B.A.C. *see* FRIES H.C.W.

LANGHORNE J. & SIMON B. Limiting dilution analysis of the T cell response to *Plasmodium chabaudi chabaudi* in mice **545**

LANGSLEY G. *see* MATTEI D.

LEMESRE J.L. *see* KWEIDER M.

LIGHTOWLERS M.W. *see* GASSER R.B.

LIU J.J., GREELEY E.H. & SHADDUCK J.A. Mechanisms of resistance/susceptibility to murine encephalitozoonosis **241**

LÓPEZ-OSUNA M. & KRETSCHMER R.R. Destruction of normal human eosinophils by *Entamoeba histolytica* **403**

LORD R. *see* SAUL A.

LUCAS S.B. *see* AGNEW A.M.

MCKEAN P.G. & PRITCHARD D.I. Brief communication. The action of a mast cell protease on the cuticular collagens of *Necator americanus* **293**

MCLAREN D.J. *see* FLISSER A.

MCLAREN D.J. *see* WARD R.E.M.

MACLENNAN C. *see* RILEY E.M.

MAHAJAN R.C. *see* JAYSHREE R.S.

MAIZELS R.M. *see* HASWELL-ELKINS M.R.

MAIZELS R.M. *see* HELM R.

MAIZELS R.M. *see* KWAN-LIM G.E.

MARTINEZ A. *see* CASTES M.

MATTEI D., BERZINS K., WAHLGREN M., UDOMSANGPETCH R., PERLMANN P., WERNER GRIESSER H., SCHERF A., MÜLLER-HILL B., BONNEFOY S., GUILLOTTE M., LANGSLEY G., PEREIRA DA SILVA L. & MERCEREAU-PUIJALON O. Cross-reactive antigenic determinants present on different *Plasmodium falciparum* blood-stage antigens **15**

MEEUSEN E., GORRELL M.D., RICKARD M.D. & BRANDON M.R. Lymphocyte subpopulations of sheep in protective immunity to *Taenia hydatigena* **169**

MELOEN R.H. *see* VAN AMERONGEN A.

MENDLOVIC F., ARNON R., TARRAB-HAZDAI R. & PURI J. Genetic control of immune response to a purified *Schistosoma mansoni* antigen. II. Establishment and characterization of specific I-A and I-E restricted T-cell clones **683**

MENDLOVIC F., TARRAB-HAZDAI R., PURI J. & ARNON R. Genetic control of immune response to a purified *Schistosoma mansoni* antigen. I. Effect of MHC class II antigens on the cellular, humoral and protective responses **667**

MERCEREAU-PUIJALON O. *see* MATTEI D.

MEUWISSEN J.H.E.T. *see* FRIES H.C.W.
MEUWISSEN J.H.E.T. *see* VAN AMERONGEN A.
MILLAR P. *see* INNES E.A.
MILLET P., KAMBOJ K.K., COCHRANE A.H., COLLINS W.E., BRODERSON J.R., BROWN B.G. & NGUYEN-DINH P. In-vitro exoerythrocytic development of *Plasmodium cynomolgi bastianellii*: inhibitory activity of monoclonal antibodies against sporozoites of different *P. cynomolgi* strains and of *P. knowlesi* **223**
MINOPRIO P. *see* RUSSO M.
MITCHELL G.F. Brief communication. Portal system peculiarities may contribute to resistance against schistosomes in 129/J mice **713**
MOLLARD R. *see* SAUL A.
MONJOUR L. *see* DUNAN S.
MOROS Z. *see* CASTES M.
MOTA I. *see* UMEKITA L.F.
MÜLLER-HILL B. *see* MATTEI D.
MURARE H.M. *see* AGNEW A.M.
MURRAY M. *see* BLACK S.J.
MUSANGA R. *see* BLACK S.J.

NANTULYA V.M. An antigen detection enzyme immunoassay for the diagnosis of *rhodesiense* sleeping sickness **69**
NGUYEN-DINH P. *see* MILLET P.
NIETO A. *see* CAROL H.

OGUNKOLADE B.W. *see* DUNAN S.
OLIVER R.A. *see* INNES E.A.
OMER ALI P., HAGAN P., HACKETT F., SMITHERS S.R. & SIMPSON A.J.G. Variable species and stage specificity of schistosomulum surface epitopes recognized by mice vaccinated with highly irradiated cercariae **257**
OMER ALI P. *see* SMITHERS S.R.
ONITAKE K. *see* ITO A.
OTIENO-OMONDI F. *see* BLACK S.J.
OUHELLI H. *see* INNES E.A.

PARKHOUSE R.M.E. *see* HARRISON L.J.S.
PARTONO F. *see* KWAN-LIM G.E.
PEREIRA DA SILVA L. *see* FALANGA P.B.
PEREIRA DA SILVA L. *see* MATTEI D.
PERLMANN P. *see* MATTEI D.
PHILLIPS N.C. *see* STEVENSON M.M.
PHOCEAN VETERINARY STUDY GROUP ON VISCERAL LEISHMANIASIS *see* DUNAN S.
PLAYFAIR J.H.L. *see* JONES K.R.
PODOBA J.E. *see* STEVENSON M.M.
PONNUDURAI T. *see* FRIES H.C.W.
PRITCHARD D.I. *see* MCKEAN P.G.
PURI J. *see* MENDLOVIC F.
PYE C. *see* COTTRELL B.

QUILICI M. *see* DUNAN S.

RAE D. *see* STEVENSON M.M.
RAMASWAMY K. & BEFUS D. Pulmonary inflammation in parasitic infection: immunoglobulins in bronchoalveolar washings of rats infected with *Nippostrongylus brasiliensis* **655**
RIBEIRO-DOS-SANTOS R. *see* RUSSO M.
RICKARD M.D. *see* GASSER R.B.
RICKARD M.D. *see* MEEUSEN E.
RILEY E.M., MACLENNAN C., KWIATKOWSKI D. & GREENWOOD B.M. Suppression of in-vitro lymphoproliferative responses in acute malaria patients can be partially reversed by indomethacin **509**
ROCHA R.S. *see* GOES A.M.
RONDON A.J. *see* CASTES M.
ROSE M.E., WAKELIN D., JOYSEY H.S. & HESKETH P. Immunity to coccidiosis: T-cell control of infection with *Eimeria vermiformis* in mice does not require cooperation with inflammatory cells **231**
RUSSO M., STAROBINAS N., RIBEIRO-DOS-SANTOS R., MINOPRIO P., EISEN H. & HONTEBEYRIE-JOSKOWICZ M. Susceptible mice present higher macrophage activation than resistant mice during infections with myotropic strains of *Trypanosoma cruzi* **385**

SADIGURSKY M. *see* KWEIDER M.
SANTORO F. *see* KWEIDER M.
SAUERWEIN R.W. *see* VAN AMERONGEN A.
SAUL A., LORD R., JONES G., GEYSEN H.M., GALE J. & MOLLARD R. Cross-reactivity of antibody against an epitope of the *Plasmodium falciparum* second merozoite surface antigen **593**

SCHERF A. *see* MATTEI D.
SCHETTERS T.P.M., VAN RUN-VAN BREDA J.H.J., HERMSEN C., CURFS J. & ELING W.M.C. Protective and pathological activity in serum of mice developing resistance to *Plasmodium berghei* infection **413**
SCHETTERS T.P.M., VAN RUN-VAN BREDA J.H.J., VAN DE WIEL TH., HERMSEN C.C., CURFS J. & ELING W.M.C. Impaired immune responsiveness in *Plasmodium berghei* immune mice **519**
SELKIRK M.E. *see* HELM R.
SELKIRK M.E. *see* KWAN-LIM G.E.
SETHI A.K. *see* JAYSHREE R.S.
SHADDUCK J.A. *see* LIU J.J.
SHAPIRO S.Z. *see* BLACK S.J.
SHIRLEY M.W. Point of view. Development of a live attenuated vaccine against coccidiosis of poultry **117**
SIMON B. *see* LANGHORNE J.
SIMPSON A.J.G. *see* OMER ALI P.
SIMPSON A.J.G. *see* SMITHERS S.R.
SIMPSON S.P. *see* INNES E.A.
SMITH N.C. & BRYANT C. Free radical generation during primary infections with *Nippostrongylus brasiliensis* **147**
SMITH N.C. & BRYANT C. Free radical generation during primary infections with *Nippostrongylus brasiliensis* **147**
SMITH W.D. *see* HAIG D.M.
SMITHERS S.R., HACKETT F., OMER ALI P. & SIMPSON A.J.G. Protective immunization of mice against *Schistosoma mansoni* with purified adult worm surface membranes **301**
SMITHERS S.R. *see* OMER ALI P.
SMITS M.A. *see* FRIES H.C.W.
SPOONER R.L. *see* INNES E.A.
STAROBINAS N. *see* RUSSO M.
STEVENSON M.M., GHADIRIAN E., PHILLIPS N.C., RAE D. & PODOBA J.E. Role of mononuclear phagocytes in elimination of *Plasmodium chabaudi* AS infection **529**
SUGIMOTO C. *see* BROWN W.C.

TARGETT G.A.T. *see* JONES K.R.
TARRAB-HAZDAI R. *see* MENDLOVIC F.
TRUJILLO D. *see* CASTES M.

UDOMSANGPETCH R. *see* MATTEI D.
UMEKITA L.F. & MOTA I. In-vitro lysis of sensitized *Trypanosoma cruzi* by platelets: role of C3b receptors **561**

VAN AMERONGEN A., SAUERWEIN R.W., BECKERS P.J.A., MELOEN R.H. & MEUWISSEN J.H.E.T. Brief communication. Identification of a peptide sequence of the 25 kD surface protein of *Plasmodium falciparum* recognized by transmission-blocking monoclonal antibodies: implications for synthetic vaccine development **425**
VAN DE WIEL TH. *see* SCHETTERS T.P.M.
VAN RUN-VAN BREDA J.H.J. *see* SCHETTERS T.P.M.

WAHLGREN M. *see* MATTEI D.
WAKELIN D. *see* ELSE K.
WAKELIN D. *see* ROSE M.E.
WARD R.E.M. & MCLAREN D.J. *Schistosoma mansoni*: migration and attrition of challenge parasites in naive rats and rats protected with vaccine serum **125**
WEBSTER H.K. *see* HO M.
WERNER GRIESSER H. *see* MATTEI D.
WINDON R. *see* HAIG D.M.
WRIGHT S.H. *see* HARRISON L.J.S.